

JT-6 GENERATION DOUBLE INVISIBLE SAW TABLE

304 STAINLESS STEEL DUSTPROOF, NON-COLLAPSE ,
FOLDABLE SURFACE DISASSEMBLY



LANGKAH MAJU MESIN

JT-6 FOLDING PRECISION SAW MACHINE

PRODUCT INTRODUCTION



1. Saw table compact structure, small folding size, more convenient to carry
2. Double stealth precision guide rail, high precision, smooth push and pull
3. Table laser marking scale, accurate positioning, will not fade lockable universal wheels design, free change of the working position
4. Only one person for its cut large woodboard with material rack and vice countertop

MAIN STRUCTURE	
Fully Expanded Width Dimension (Expand Size)	2100*980*820 mm
Machine Folding Dimension (Folded Size)	1000*300*700 mm
Main Countertop (Main Table + Sliding Table)	980*600 mm
Extended Material Rack	980*450 mm
Material Receiving Rack	900*442 mm
Electric Saw Installation Dimensions	495*295

BACKER



PUSHER



LANGKAH MAJU MESIN

Thickness 3mm of extended aluminum alloy.
 Length 1250mm (1100mm + Positioning 150mm)
 *50mm*30mm

1. Thickness 2mm of extended aluminum alloy, Positioner inserts steel ruler, Inner slot slider
2. Front half size is 130cm*40cm*40cm, Maximum stretch of rear half telescopic push rod is 2.4mm



MAIN FRAME

01. The main frame material is furniture square pipe with thickness of 1.2mm
02. Each frame splicing corner solder joint is polished, beautiful and smooth
03. All four feet are equipped with anti-slip and anti-scratch floor MATS
04. Frame color is golden baking paint, five processes to ensure that the color for a long time to use paint, shelf for a long time without rust
05. Painting steps :
 1. Cleaning grease,
 2. Overvulcanization,
 3. Spray powder,
 4. Phosphating baking paint,
 5. High temperature baking paint.



VICE RACK

1. The material is 25mm*1.2 square pipe welding
2. Movable, foldable, does not take up space can be arbitrarily placed according to the position of the opening plate, while open the board it will not fall off
3. The supporting hinge uses the stamping forming thickened 3mm steel plate. The negative angle development design, the use of pressure push straight hinge, locking, so that the table is more stable
4. Equipped with 3 fluency strips, easy to operate the push plate
5. With non-slip foot cup, according to the height and surface of the saw table can be fine-tuned



TECHNICAL PARAMETERS



- ▶ Precision Cutting
- ▶ Folding Storage
- ▶ Durable
- ▶ Straight Square Rails
- ▶ Non-demolition Inclined Beam
- ▶ Extended Extension
- ▶ Easy to Carry
- ▶ Lightweight

JT-6 Double Invisible Saw Table + Brushless Mother Saw + Backer + Push Rod + Universal Wheel + Moveable Fluent Bar + Support Receiving Frame + Dust Collection Tube + Dust Collection Bag



Brushless Saw



Dust Collection Tube



Dustbag

DETAILS SET

JT-6 TABLESAW + BRUSHLESS SAW BRUSH



Saw Table



Support Rack



Putter



Backing



Moveable Fluent Bar




Universal Wheel



Hardware Accessories

BRUSHLESS SAW BRUSH



Brushless Combination Motor

Motor Material	Aluminum Box Copper Core Motor
Female Saw Motor / Speed	2300W / 4500R/min
Vacuum Suction Motor	1200W / 2100R/min
Voltage / Frequency	220V / 50 Hz
Table Material	All Aluminum Alloy Table
Sub-Saw Motor Speed	1100W / 8000R/min
Dust Collection Method	Independent Fan Vacuuming
Saw Blade Specifications	Support Large Saw 7/8/9 inches Support Small Saw 4 inches
Saw Blade Thickness	Large Saw Blade 2.6 mm Small Saw Blade 2.3-3.3 mm
Machine Weight	About 25 kg
Dimensions (L*W*H)	49.5*29.5*31.5cm

TECHNICAL PARAMETERS



- ▶ Precision Cutting
- ▶ Folding Storage
- ▶ Durable
- ▶ Straight Square Rails
- ▶ Non-demolition Inclined Beam
- ▶ Extended Extension
- ▶ Easy to Carry
- ▶ Lightweight

JT-6 Double Invisible Saw Table + Mother Saw with Brush + Backer + Push Rod + Universal Wheel + Moveable Fluent Bar + Support Receiving Frame + Dust Collection Tube + Dust Collection Bag



Brush Saw



Dust Collection Tube



Dustbag

DETAILS SET JT-6 TABLESAW + DUST-FREE SAW BRUSH



Saw Table



Support Rack



Putter



Backing



Moveable Fluent Bar



Universal Wheel



Hardware Accessories

DUST-FREE SAW BRUSH



Dust-Free Saw Brush Parameter Table

Motor Material	Aluminum Box Copper Core Motor
Female Saw Motor / Speed	2000W / 4200R/min
Vacuum Suction Motor	1200W / 2100R/min
Voltage / Frequency	220V / 50 Hz
Table Material	All Aluminum Alloy Table
Sub-Saw Motor Speed	1100W / 1300R/min
Dust Collection Method	Independent Fan Vacuuming
Saw Blade Specifications	Support Large Saw 7/8/9 inches Support Small Saw 4 inches
Saw Blade Thickness	Large Saw Blade 2.6 mm Small Saw Blade 2.3-3.3 mm
Machine Weight	About 25 kg
Dimensions (L*W*H)	49.5*29.5*31.5cm