

SAW SOURCE WOODWORKING BRUSHLESS SJ-60 TRACK SAW MACHINE

Technical Parameters

2000W Brushless Motor

Precise 45° Bevel Cutting

Cutting Depth 6cm

Weight Only 45KG



EXPLOSION-PROOF SIDE BLOCK STRUCTURE



The unique explosion-proof edge structure, combined with the track explosion-proof edge strips, ensures...
During the cutting process, pressure is applied to both sides of the saw path, achieving explosion-proof edges.

SINGLE SAW CUTTING PROCESS TECHNOLOGY



Features

Positioning guides and saw blade cutting technology effectively improve cutting quality, reduce chipping, and improve specialized grooving techniques, resulting in more precise cutting results.

SAFETY LOCK



The release button locks the mechanical switch to prevent accidental operation and injury. The saw lock button locks the motor in its initial position for easy transport and storage, preventing injury from accidental operation.

The saw lock locks the saw in the disassembly position for easy blade removal and assembly.


PRECISE ADJUSTMENT



To achieve precise cutting, the SJ-60 features sophisticated adjustment mechanisms, such as cut depth adjustment, blade verticality, and parallelism adjustment.

SJ-60

PRODUCT DETAILS



SJ-60

LIGHTWEIGHT AND CONVENIENT FEATURES

A portable storage case comes standard, perfectly accommodating the main unit and accessories. The main unit weighs only 4.2 kg when fully stored, making cutting even easier.



OVERLOAD SAFETY PROTECTION

FEATURES

The SJ-60 features an overload safety protection function. If the cutting speed is too high or the material and tool are mismatched, causing a cut, the control system will proactively initiate a safety shutdown, effectively preventing accidents and equipment damage.



STEPLESS SPEED ADJUSTMENT

FEATURES

The SJ-60 features a speed adjustment function for different cutting types. Its speed adjustment range is roughly divided into six levels, allowing for continuous speed change.

SJ-60

Stepless Speed Control Button



AUTO SHRINK

FEATURES

An automatic reset mechanism extends the saw blade during cutting and retracts it at the end of the cut, effectively preventing abnormal cutting and safety hazards.

SJ-60

Press Down

Depth Adjustment



SJ-60 LINEAR RAIL GUIDE

FEATURES

Using specialized aluminum alloy rails for guidance, it not only simplifies operation but also ensures efficient and precise cutting.



SJ-60

POWERFUL CUTTING CAPACITY

FEATURES


The SJ-60 uses a 168mm cutting blade, achieving a maximum cutting speed of 60mm. It features both 0° and 45° cutting, and is compatible with multi-groove and V-groove cutting easily creates corners and arcs.

SJ-60


SINGLE SAW CUTTING TECHNOLOGY

FEATURES

Positioning guides and saw blade cutting technology effectively improve cutting quality, reduce chipping, and improve special grooving processes, resulting in more precise cutting results.



0° Cutting/Straight Cutting



45° Cutting/Bevel Cutting



V-Groove Cutting



Arc Cutting



SINGLE SAW CUTTING



ORBLTAL HAND PUSHER SAW



SPECIFICATIONS

Model : SJ-60

Name : Orbital Single Saw

Rated Power : 2000W (220V)

Power Supply : AC220V/50Hz

Maximum Speed : Main Saw 6750/min

Slice Size : Main Saw 168x1.8x20mm

Cutting Thickness : 0-60mm

Saw Speed Adjustment : 6 Speeds

Saw Blade Specifications : Diameter 168mm Aperture 20mm

Cutting Function : 0-45° Miter Cut

Cutting Depth : 0-6cm

Weight : 4.2kg

Device Dimensions : 330x190x255mm

Storage Case Dimensions : 475x360x210mm

Cutting Functions: Flat Cut, 45° Bevel Cut,
Multi-Groove Cutting, V-Groove Cutting

Plastic Storage Tool Box



Saw Blade



Interface + Dust Bag



4 meter Power Cord



1 Pair of F Clips



1.4 meter Track*2pcs

OPTIONAL PARTS MACHINE

COMPATIBLE TO SJ-60 ORBITAL SAW MACHINE

V-GROOVE KNIFE SET



V-GROOVE MULTI GROOVE UNIVERSAL COVER



MULTI-SLOT SAW SET (5 SAW BLADES)



OPTIONAL PARTS MACHINE

10 - SPIDER LEG WORKBENCH




Storage Case

12 - SPIDER LEG WORKBENCH



Storage Case

15 - SPIDER LEG WORKBENCH



15 Spider Legs



Storage Bag



Storage Case

OPTIONAL PARTS MACHINE

PORTABLE VACUUM CLEANER

PRODUCT LIST



1.5 Dust Bag



Carbon Brush*2



3.6m High Quality
Dust Collection Tube



Round Head Blow Nozzle



Rated Input Power : 700W

Rated Voltage : 220V/50Hz

No-Load Speed : 0-15000rpm

Air Outlet Speed : 30m/s



1.5m Dust Bag



Carbon Brush*2



3.6m High Quality
Dust Collection Tube



Round Head
Blow Nozzle

OPTIONAL PARTS MACHINE

VACUUM CLEANER

Wet and Dry Vacuum Cleaner / Portable Storage / Fine Filtration System

DETAILED DISPLAY



Bayonet Design

More convenient storage of spare parts



Power Cord Storage

The power cord storage is more convenient to use and avoids having nowhere to put the power cord



Locking Tap Design

For faster and easier cleaning



Large Wheel Configuration

Sturdy to use and easier to move



WET AND DRY VACUUM CLEANER TECHNICAL PARAMETERS

TYPE MODEL : JZY-XC1500	
Voltage : 230V-50Hz	Capacity : 30L
Input Power : 1600W	Vacuum Degree : ≤17 kpa



021-55913317 / 021-54332689

www.langkahmajumesinindo.com

langkahmajumesinindo

Pages : Langkah Maju Mesin Indo



@langkahmajumesin