

TYPE 750

FULLY AUTOMATIC CURVED LINE MINI EDGE BANDING MACHINE





TYPE 750

Power Supply Voltage	220V	Belt Feeding Method	Automatic Belt Feeding
Product Size	750*500*500mm	Power	1200W
Product Weight	35 kg	Glue Capacity	1000 ML
Edge Speed	6-60mm	Heating Time	5-10 min

FEATURES

In the case of uncharged traditional technology, it is improved, strengthened and upgraded, more humanized, small body and large functions. Double-row pressure rollers, integrated pressure beam, the sealing board is stable and does not run away, double rocker wheel design, easy to adjust the pressure beam silicone conveyor belt, does not damage the board, and it is fully automatic board feeding mode, easy to seal the board.

DETAILS



POLISHING UP
AND DOWN



UP AND DOWN POLISHING CAN BE DONE AT ONE TIME

Up and down polishing is smooth, which can be realized by one machine operation

DOUBLE-SIDED ADHESIVE

Double-sided gluing technology, stable and uniform gluing, no degumming and more firm paste

CONTROL PANEL

Integrated stepless speed regulation, Intelligent temperature, Control system, Feeding speed regulation

FEEDING PULLEY SMOOTH IN AND OUT

The width of the board is no longer a difficult point for edge banding



Suitable for curve and straight edge banding of various sizes, widely used in furniture edge banding, cabinet processing, furniture decoration and other industries.

WOOD PROCESSING

CABINET PROCESSING

FURNITURE EDGE BANDING

VARIOUS BOARD
EASY
EDGE BANDING



One machine with multiple functions, a variety of plates can be easily handled
Solid Wood Board / MDF / Plywood / Ecological Board



Straight Edge Banding



Curved Edge Banding



Straight Line
Edge Banding
Automatic Breaking



Step On The Broken
Belt for Special
Shaped Edge Banding



STRAIGHT



AUTOMATIC
FEEDING



AUTOMATIC
BELT BREAK



UPPER & LOWER
DOUBLE REPAIR



POLISHED ON
BOTH SIDES



INTELLIGENT
TEMPERATURE
CONTROL



FOUR-EDGED
ARC KNIFE



EFFICIENT
VACUUMING



ALL TOGETHER

BUY NOW